

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 17-Mar-2024 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Laemmli SDS sample buffer, reducing (6X)</u>

Cat No. : J61337

Unique Formula Identifier (UFI) V1EK-26UE-GX0M-8AA0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

ALFAAJ61337

Laemmli SDS sample buffer, reducing (6X)

Revision Date 17-Mar-2024

Health hazards

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Serious Eye Damage/Eye Irritation

Category 4 (H302)

Category 3 (H311)

Category 4 (H332)

Category 4 (H332)

Category 1 (H318)

Skin Sensitization Category 1 Sub-category 1A (H317)

Environmental hazards

Chronic aquatic toxicity Category 2 (H411)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H311 - Toxic in contact with skin

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H302 + H332 - Harmful if swallowed or if inhaled

Precautionary Statements

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------------------|-----------|-----------|----------|---|
| Glycerin | 56-81-5 | 200-289-5 | 50 | - |
| Water | 7732-18-5 | 231-791-2 | 26.07 | - |
| Sodium lauryl sulfate | 151-21-3 | 205-788-1 | 9 | Flam. Sol. 2 (H228) |
| | | | | Acute Tox. 4 (H302) |

Revision Date 17-Mar-2024

Laemmli SDS sample buffer, reducing (6X)

| | | | | Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aq. Chronic 3 (H412) |
|---|------------|-------------------|------|--|
| 2-Mercaptoethanol | 60-24-2 | EEC No. 200-464-6 | 9 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Repr. 2 (H361f) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | 1185-53-1 | EEC No. 214-684-5 | 5.9 | - |
| Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6- dibromo-, S,S-dioxide, monosodium salt | 62625-28-9 | EEC No. 263-653-2 | 0.03 | Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------------|---------------------------------------|----------|-----------------|
| 2-Mercaptoethanol | - | 1 | - |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes eye burns. May cause allergic skin reaction. Causes severe eye damage. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1D Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| | Component | The United Kingdom | European Union | Ireland |
|---|-----------|--------------------------------------|----------------|--|
| ı | Glycerin | TWA: 10 mg/m ³ 8 hr (mist | | TWA: 10 mg/m ³ 8 hr. (mist) |
| | | only) | | |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local | Acute effects | Chronic effects local | Chronic effects |
|-----------------------------|---------------------|-------------------|-----------------------|-------------------|
| | (Dermal) | systemic (Dermal) | (Dermal) | systemic (Dermal) |
| Sodium lauryl sulfate | | | | DNEL = 4060mg/kg |
| 151-21-3 (9) | | | | bw/day |
| 2-Mercaptoethanol | | DNEL = 0.05mg/kg | | DNEL = 0.05mg/kg |
| 60-24-2 (9) | | bw/day | | bw/day |
| 1,3-Propanediol, | | | | DNEL = 216.6mg/kg |
| 2-amino-2-(hydroxymethyl)-, | | | | bw/day |
| hydrochloride | | | | _ |
| 1185-53-1 (5.9) | | | | |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Glycerin 56-81-5 (50) | | | DNEL = 56mg/m ³ | |
| Sodium lauryl sulfate 151-21-3 (9) | | | | DNEL = 285mg/m ³ |
| 2-Mercaptoethanol 60-24-2 (9) | | DNEL = 0.17mg/m ³ | | DNEL = 0.17mg/m ³ |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (5.9) | | | | DNEL = 152.8mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|-----------------------|------------------|------------------|--------------------|-------------------|--------------------|
| | | sediment | | sewage treatment | |
| Glycerin | PNEC = 0.885mg/L | PNEC = 3.3mg/kg | PNEC = 8.85mg/L | PNEC = 1000mg/L | PNEC = |
| 56-81-5 (50) | | sediment dw | | | 0.141mg/kg soil dw |
| Sodium lauryl sulfate | PNEC = 0.176mg/L | PNEC = 6.97mg/kg | PNEC = 0.055mg/L | PNEC = 1.35mg/L | PNEC = 1.29mg/kg |
| 151-21-3 (9) | - | sediment dw | | | soil dw |
| 2-Mercaptoethanol | PNEC = | PNEC = | PNEC = 0.004mg/L | PNEC = 60mg/L | PNEC = |
| 60-24-2 (9) | 0.00632mg/L | 0.024mg/kg | _ | | 0.908mg/kg soil dw |

Laemmli SDS sample buffer, reducing (6X)

sediment dw

Revision Date 17-Mar-2024

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|---------------------------------------|------------------------|--------------------------------------|---------------------------|------------|-----|
| Glycerin | PNEC = | PNEC = 0.33mg/kg | | | |
| 56-81-5 (50) | 0.0885mg/L | sediment dw | | | |
| Sodium lauryl sulfate 151-21-3 (9) | PNEC = 0.0176mg/L | PNEC = 0.697mg/kg sediment dw | | | |
| 2-Mercaptoethanol 60-24-2 (9) | PNEC = 0.000632mg/L | PNEC = 0.0024mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| | ove material tural rubber | Breakthrough time See manufacturers | Glove thickness | EU standard EN 374 | Glove comments (minimum requirement) |
|---|------------------------------|-------------------------------------|-----------------|-----------------------|---|
| 1 | trile rubber | recommendations | | LIN 374 | (minimum requirement) |
| 1 | Neoprene | | | | |
| | PVC | | | | |

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Revision Date 17-Mar-2024

Laemmli SDS sample buffer, reducing (6X)

Physical State Liquid

Appearance Blue

Odor
Odor No information available
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available
Flammability (liquid) No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available Decomposition Temperature No data available

pH 6.8

Viscosity No data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)
Component lo

Componentlog PowGlycerin-1.75Sodium lauryl sulfate1.62-Mercaptoethanol-0.0561,3-Propanediol,-3.6

2-amino-2-(hydroxymethyl)-,

hydrochloride

Vapor Pressure23 hPa @ 20 °CDensity / Specific GravityNo data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Laemmli SDS sample buffer, reducing (6X)

Revision Date 17-Mar-2024

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 4
Dermal Category 3
Inhalation Category 4

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|--------------------------|--|---|
| Glycerin | 12600 mg/kg (Rat) | > 10 g/kg(Rabbit) | > 2.75 mg/L/4h (Rat)(mist) |
| | | | |
| Water | - | - | - |
| Sodium lauryl sulfate | LD50 = 1288 mg/kg (Rat) | LD50 = 200 mg/kg (Rabbit) | LC50 > 3900 mg/m ³ (Rat) 1 h |
| 2-Mercaptoethanol | LD50 = 244 mg/kg (Rat) | 150 μL/kg (Rabbit) 112 - 224 mg/kg (Rabbit) | - |
| 1,3-Propanediol, | OECD 425 (Rat) | OECD 402 (Rat) | - |
| 2-amino-2-(hydroxymethyl)-, hydrochloride | LD50 > 5000 mg/kg bw | LD50 > 5000 mg/kg bw | |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory SkinNo data available
Sub-category 1A

| Component | Test method | Test species | Study result |
|---|-------------------------|--------------|-----------------|
| 1,3-Propanediol, | OECD Test Guideline 406 | guinea pig | non-sensitising |
| 2-amino-2-(hydroxymethyl)-, hydrochloride | | | _ |
| 1185-53-1 (5.9) | | | |

No information available

(e) germ cell mutagenicity; No data available

| Component | Test method | Test species | Study result |
|---|---------------------------------|--------------|--------------|
| 1,3-Propanediol, | OECD Test Guideline 471 | Mammalian | negative |
| 2-amino-2-(hydroxymethyl)-, hydrochloride | Bacterial Reverse Mutation Test | in vitro | _ |
| 1185-53-1 (5.9) | | | |

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

Laemmli SDS sample buffer, reducing (6X)

Revision Date 17-Mar-2024

delayed

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|---|---|---|--|
| Glycerin | LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss) | | |
| Sodium lauryl sulfate | 1.31 mg/L LC50 96 h 9.9-20.1 mg/L LC50 96 h 4.5 mg/L LC50 96 h 4.62 mg/L LC50 96 h 7.97 mg/L LC50 96 h 10.2-22.5 mg/L LC50 96 h 10.8-16.6 mg/L LC50 96 h 13.5-18.3 mg/L LC50 96 h 15-18.9 mg/L LC50 96 h 22.1-22.8 mg/L LC50 96 h 4.06-5.75 mg/L LC50 96 h 4.2-4.8 mg/L LC50 96 h 4.3-8.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h | EC50: = 1.8 mg/L, 48h (Daphnia magna) | EC50: 3.59 - 15.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 117 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 30 - 100 mg/L, 96h (Desmodesmus subspicatus) EC50: = 53 mg/L, 72h (Desmodesmus subspicatus) |
| 2-Mercaptoethanol | | EC50: = 1.52 mg/L, 48h (Daphnia magna) | EC50: = 12 mg/L, 72h (Desmodesmus subspicatus) |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | | Daphnia Magna EC50 >100 mg/L (48h) | |

| Component | Microtox | M-Factor |
|---|---|----------|
| Sodium lauryl sulfate | = 0.46 mg/L EC50 Photobacterium phosphoreum | |
| · | 30 min | |
| | = 0.72 mg/L EC50 Photobacterium phosphoreum | |
| | 15 min | |
| | = 1.19 mg/L EC50 Photobacterium phosphoreum 5 | |
| | min | |
| 2-Mercaptoethanol | = 125 mg/L EC50 Pseudomonas putida 17 h | 1 |
| | · | |
| 1,3-Propanediol, | OECD 209 | |
| 2-amino-2-(hydroxymethyl)-, hydrochloride | EC50 > 1000 mg/L (3h) | |

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------------------|---------|-------------------------------|
| Glycerin | -1.75 | No data available |
| Sodium lauryl sulfate | 1.6 | No data available |
| 2-Mercaptoethanol | -0.056 | No data available |
| 1,3-Propanediol, | -3.6 | No data available |

Laemmli SDS sample buffer, reducing (6X)

2-amino-2-(hydroxymethyl)-, hydrochloride

12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

Revision Date 17-Mar-2024

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

Laemmli SDS sample buffer, reducing (6X)

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Revision Date 17-Mar-2024

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|--|------------|-----------|--------|-----|-------|------|----------|------|------|
| Glycerin | 56-81-5 | 200-289-5 | - | - | Х | Х | KE-29297 | Х | Х |
| Water | 7732-18-5 | 231-791-2 | - | - | Х | Χ | KE-35400 | Х | - |
| Sodium lauryl sulfate | 151-21-3 | 205-788-1 | - | - | Х | Х | KE-21884 | Х | Х |
| 2-Mercaptoethanol | 60-24-2 | 200-464-6 | - | - | Х | Х | KE-23095 | Х | Х |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | 1185-53-1 | 214-684-5 | - | - | Х | Х | KE-34819 | Х | - |
| Phenol, 4,4'-(3H-1,2-benzoxathiol-3-yliden e)bis[2,6-dibromo-, S,S-dioxide, monosodium salt | 62625-28-9 | 263-653-2 | - | - | Х | Х | - | - | - |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--|------------|------|---|-----|------|------|-------|-------|
| Glycerin | 56-81-5 | Х | ACTIVE | X | - | X | Х | Х |
| Water | 7732-18-5 | Х | ACTIVE | Х | - | Х | Х | Х |
| Sodium lauryl sulfate | 151-21-3 | Х | ACTIVE | Х | - | X | Х | Х |
| 2-Mercaptoethanol | 60-24-2 | Х | ACTIVE | Х | - | Х | Х | Х |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | 1185-53-1 | Х | ACTIVE | Х | - | Х | Х | Х |
| Phenol, 4,4'-(3H-1,2-benzoxathiol-3-yliden e)bis[2,6-dibromo-, S,S-dioxide, monosodium salt | 62625-28-9 | Х | ACTIVE | Х | - | - | Х | Х |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--|------------|---|--|---|
| Glycerin | 56-81-5 | - | - | - |
| Water | 7732-18-5 | - | - | - |
| Sodium lauryl sulfate | 151-21-3 | - | - | - |
| 2-Mercaptoethanol | 60-24-2 | - | - | - |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | 1185-53-1 | - | - | - |
| Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene) bis[2,6-dibromo-, S,S-dioxide, monosodium salt | 62625-28-9 | - | - | - |

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---|------------|---|--|
| Glycerin | 56-81-5 | Not applicable | Not applicable |
| Water | 7732-18-5 | Not applicable | Not applicable |
| Sodium lauryl sulfate | 151-21-3 | Not applicable | Not applicable |
| 2-Mercaptoethanol | 60-24-2 | Not applicable | Not applicable |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | 1185-53-1 | Not applicable | Not applicable |
| Phenol, 4,4'-(3H-1,2-benzoxathiol-3- ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt | 62625-28-9 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|--|---------------------------------------|-------------------------|
| Glycerin | WGK1 | |
| Sodium lauryl sulfate | WGK2 | |
| 2-Mercaptoethanol | WGK3 | |
| 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride | WGK1 | |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|--|--|---|--|
| Sodium lauryl sulfate 151-21-3 (9) | Prohibited and Restricted Substances | | |
| Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6- dibromo-, S,S-dioxide, monosodium salt 62625-28-9 (0.03) | Prohibited and Restricted Substances | | |

15.2. Chemical safety assessment

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H332 - Harmful if inhaled

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H228 - Flammable solid

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

ICAO/IATA - International Civil Aviation Organization/International Air

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

Transport Association

OECD - Organisation for Economic Co-operation and Development ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 17-Mar-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended.

•

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet